RCJ SCENIUM

HDLP61W151

61" (Diagonal) 16x9 DLP HDTV with Integrated ATSC Tuner (Shown with Optional Stand)

Hi-Pix™ Picture Systems	Synergistically optimize picture performance by
	synchronizing advanced signal processing, display technologies, HD connectivity and CinemaScreen™.
DLP [™] Light Engine (Digital Light Processing [™]) - 16.7 Million Colors and 1,024 Shades of Gray - twice the contrast of most other microdisplay technologies	RCA Scenium proprietary bit sequences produce incredibly clear pictures that are nothing short of stunning.
TruScan Digital Reality™ Intelligent Signal Processing - "Because the Picture Intended Should be the Picture Presented"	Recognizes incoming signals & progressively converts them to achieve optimum digital picture. Automatically reverts converted film source material for best picture.
HD Connectivity	Dual Syncroscan [™] component inputs. DVI w/HDCP for uncompressed digital signals. Dual FireWire ¹⁰ connections w/2-way DTVLink for component networking.
CinemaScreen™ Floating Picture Screen	The black borderless screen enables viewers to become immersed in the action giving the images more vibrance.
Integrated ATSC Tuner with QAM-in-the-Clear	Delivers the potential for cable-in-the-clear and off-air reception of digital high definition broadcasts without the need for a separate ATSC or Digital Cable box.
NetConnect [™] - Ethernet with Microsoft Win CE²* Operating System and Web Browser	Capable of surfing the internet and watching TV simultaneously. Can network with the home PC to display photos directly from the computer's hard drive.



THOMSON

RСЛ

HDLP61W151

Technical Specifications

SCENIUM

BRAND	RCA Scenium
TURE	
Screen Size - diagonal (inch)	61
Category	DLP™ HDTV
Aspect Ratio	16x9
CRT / Light System	Mustang HD2 w/DLP™ Light Engine
Hybrid Lens System	16-Element
Color-Corrected C Elements	-
Dynamic Focus	-
Convergence	Not Applicable
1st Surface Reflective Mirror	Yes
Screen Type	High Gain, High-Resolution
Protective Shield	Yes
Video Noise Reduction	Adaptive
Progressive Scan	TruScan Digital Reality™
Scan Rate Converter	TruScan Digital Reality™
Comb Filter	3D Y/C Digital Frame
3:2 Pull Down	Reverse (TruScan Digital Reality™)
Adjustable Color Temp	Yes
Auto Color Balance (AKB)	Not Applicable
Dynamic Color Stretch Circuitry	Yes
Scan Velocity Modulation - SVM	Not Applicable
Contrast Expand (B&W Stretch)	Yes - Off/Low/High
Format Control	Yes
Automatic Letterbox Detection	-
Picture Presets	Vibrant,Natural,Cinematic,Personal
Viewing Angle	160 degrees
Horiz Resolution (Picture Width)	1280 x 720p Fixed Pixel
Picture Power (watts)	-
Wide Band Video Amplifier	Yes
IND	
Sound Type	Brdcst Str w/dbx3 Noise Reduction
Second Audio Program (SAP)	Yes
3D Audio Surround Processor	SRS Labs TruSurround XT ^{™1*}
Tone Control	7-Band Graphic Equalizer
Balance Control	Yes
Front Speakers (number)	4 - 2 Tweeters, 2 Mid-Range
Fully Enclosed Speaker System	Yes
Total Watts	30
Integrated Subwoofer	-
Channels / Watts	2 Channels, 15 Watts Per
Sound Logic [™] Audio Leveler	Yes
Sound Presets	7 Modes + Personal
Headphone Adjustments	w/Main Volume
Dolby Digital ² Pass-Through	-
Tuning Capability	NTSC/ATSC/QAM-in-the-Clear
Digital Cable/Satellite Connections	FireWire ¹⁰ / DVI ² / HD Component
HD Ready	Yes
Interactive Set-up w/ Menus	Yes
Integrated Web Browser ²⁰	Yes - with WIN CE v4.0 ^{2*}
Power ON Indicator	Blue LED
Auto Channel Search	Yes
Multilingual On-Screen Display	English/French/Spanish
One Button Launch for Inputs	Yes - Auto Tune
	TES - AULO TUNE
Energy Star Qualified	
Channel Labeling	Auto (via epg Data)
Commercial Skip	Yes
Parental Control (V-Chip)	Yes
Picture Reset	Yes
Picture-in-Picture	Twin Tuner
Picture Freeze	Yes
	Yes
Pic Memory Presets for Vid Inputs	
GUIDE Plus+ ^{™1} Program Guide	Yes (Free Service)
GUIDE Plus+ ^{TM1} Program Guide One-Touch VCR Record ¹² (Gemstar)	Yes
GUIDE Plus+ ^{™1} Program Guide	
GUIDE Plus+ ^{TM1} Program Guide One-Touch VCR Record ¹² (Gemstar)	Yes
GUIDE Plus+™1 Program Guide One-Touch VCR Record¹2 (Gemstar) Picture in Guide	Yes Yes

RF Input (Antenna)	2
Audio/Video Inputs (Composite)	2 L&R Audio, 2 Video
S-Video Input	2 - Auto-Detectible
Component Video Input (YPrPb)	2 - SYNCROSCAN™
External Center Channel Input	Yes - 50 Watt
DVI-HDCP: Digital Visual Interface	1 DVI-HDTV
Sub Woofer Output	-
Audio Outputs (L+R)	1 Set - Menu Switchable
A/V Outputs (Composite)	1 Set - L&R Audio + Video
DVD A/V Outputs	-
Audio Output (Coaxial/Optical)	SP-DIF (Optical)
Amplified Speaker Outputs	L & R Front Speaker Out
G-LINK ¹ Connector	Yes
IEEE1394 Connector	2 FireWire1° w/2-Way DTV Link
Broadband Conn (Ethernet RJ45)	Yes
Gold Jacks	Yes
Audio/Video Inputs (Composite)	1 L&R Audio, 1 Video
S-Video Input	Yes
Headphone Jack	Yes
·····	
CIFICATIONS	
Color, Overall (Screen Frame for PTVs)	Gloss Black
Color - Center Panel (PTVs)	Brushed Anodized Aluminum
Color - Speaker Grill (PTVs)	Silver Metal Mesh
Color - Base Board (Toe Plate) (PTVs)	Not Applicable
Color - Back	Cool Gray
Product Size (WxHxD) inches	56.6 x 46.8 x 19.2
Product Size (WxHxD) inches Packaging Size (WxHxD) inches	56.6 x 46.8 x 19.2 64 x 51.25 x 25.5
Packaging Size (WxHxD) inches	64 x 51.25 x 25.5
Packaging Size (WxHxD) inches Weight: Product/Packaged, Ibs	64 x 51.25 x 25.5
Packaging Size (WxHxD) inches Weight: Product/Packaged, lbs MOTE CONTROL	64 x 51.25 x 25.5 127.82 / 154.32
Packaging Size (WxHxD) inches Weight: Product/Packaged, lbs IOTE CONTROL Model Number	64 x 51.25 x 25.5 127.82 / 154.32 RCN615TBEM1
Packaging Size (WxHxD) inches Weight: Product/Packaged, lbs IOTE CONTROL Model Number	64 x 51.25 x 25.5 127.82 / 154.32 RCN615TBEM1
Packaging Size (WxHxD) inches Weight: Product/Packaged, lbs MOTE CONTROL Model Number Type	64 x 51.25 x 25.5 127.82 / 154.32 RCN615TBEM1
Packaging Size (WxHxD) inches Weight: Product/Packaged, lbs MOTE CONTROL Model Number Type LUDED ACCESSORIES	64 x 51.25 x 25.5 127.82 / 154.32 RCN615TBEM1 Learning Remote
Packaging Size (WXHxD) inches Weight: Product/Packaged, lbs MOTE CONTROL Model Number Type LUDED ACCESSORIES Instruction Book Languages	64 x 51.25 x 25.5 127.82 / 154.32 RCN615TBEM1 Learning Remote
Packaging Size (WXHxD) inches Weight: Product/Packaged, lbs IOTE CONTROL Model Number Type LUDED ACCESSORIES Instruction Book Languages	64 x 51.25 x 25.5 127.82 / 154.32 RCN615TBEM1 Learning Remote English/French

1 - GUIDE Plus+ and G-LINK are trademarks of Gemstar-TV Guide International Inc.

1* - SRS, TruSurround, TruSurround XT and the SRS Logo are registered trademarks of SRS Labs, Inc.

1° - FireWire and the FireWire symbol are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. The FireWire logo is a trademark of Apple Computer, Inc.

2 - Dolby, Dolby Digital, and Virtual Dolby are registered trademarks of Dolby Laboratories Corp

2º - Requires monthly fee for broadband or cable modern subscription. May not be available in all areas.

 2^{\star} - WIN CE is a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

2^ - Assumes cable companies will use these standard connections for transferring the output of the box to the display device.

3 - dbx is a registered trademark of Carillon Electronics Corporation.

12 - VCR required for Recording

The DLP logo and DLP medallion are trademakrs of Texas Instruments.

©2003 Thomson Inc. Trademark(s) ® Registered Marca(s) Registrada(s)

Photos and features subject to change without notice. Illustration of product finish may vary from actual color.

Revised 1/7/04

THOMSON INC. 10330 N MERIDIAN ST INDIANAPOLIS, IN 46290-1024

REAR CONNECTORS

THOMSON